



Bond + Well

Ortho Products

AN ISO 13485, CE, FDA APPROVED

Anterior Cervicale Plate & Cage System

ACP Technology by Bondwell

Bonding for Life



B 162 Cervical Plate


Length	
4 Hole	22, 24, 26, 28, 30
6 Hole	32.5, 35, 37.5, 40, 42.5
8 Hole	45, 47.5, 50, 52.5, 55, 57.5, 60

B 163 4 mm Cervical Screw

Length	
12 to 22	
2 mm increment	


B 502 Anatomical Cervical Cage System

Width 14 & 16	
Height 5, 6, 7, 8, 9	




Tray 1

A.C.P. Implant Box



Tray 2

1. Temporary Pin Holder
2. Scoop
3. Threaded Plate Holder
4. Lock Screw Driver
5. Bone Screw Driver
6. Bone Tap
7. Starting Awl
8. Drill Bit



Tray 3

1. Drill Guide
2. Forcep Plate Holder
3. Distractor Pins - 2 PCS
4. Distractor Pin Holder
5. Retractors - 2 PCS
6. Screw Pickup Driver
7. Plate Bender
8. Cervical Distractor



B 169 Cervical Cage (Peek)

Width : 14mm & 16mm
Height : 5, 6, 7, 8, 9



B 169 Cervical Cage (Titanium)

Length	
6mm x 4mm	7mm x 5mm
8mm x 6mm	9mm x 7mm



B 508 Cervical Plate Cage

Width : 14 & 16 mm
Height : 4 & 8 mm



B 508 Cervical Plate Cage

Dia : 6, 7, 8, 9, 10 mm



Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.
Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287
E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com

GUJARAT (INDIA)



Bond + Well

Ortho Products

AN ISO 13485, CE, FDA APPROVED

**Anatomical Lumber
Cage System**
Cage Technology by Bondwell

Bonding for Life



B 503 Posterior Lumber Cage (Tlif Peek)

Degree	Width	Height
0	25/30	8,9,10,11,12
4	25/30	8,9,10,11,12
8	25/30	8,9,10,11,12



B 504 Thoracic Lumber Cage (Plif Peek)

Degree	Width	Height
0	26	8,9,10,11,12
4	26	8,9,10,11,12
8	26	8,9,10,11,12



B 165 TLIF CAGE (Titanium & Peek)

Degree	Width	Height
4	25	7,8,9,10,11,12
8	25	7,8,9,10,11,12
11	25	7,8,9,10,11,12



B 170 PLIF CAGE (Titanium)

Degree	Width	Height
4	20/25	7,8,9,10,11,12
8	20/25	7,8,9,10,11,12
11	20/25	7,8,9,10,11,12



B 172 Rocket Cage (Peek/Titanium)

Degree	Width	Height
4	25	7,8,9,10,11,12
8	25	7,8,9,10,11,12
11	25	7,8,9,10,11,12



B 166 Expandable Cage (Peek/Titanium)

Dia. 12, 14, 16, 18	
Length	
20 x 25	25 x 35
35 x 55	55 x 75




B 167 Eco Cage (Titanium)

Dia. 10, 12, 14, 16, 18	
Length	
10 to 100	



B505 Mesh Cage (Titanium)

Dia. 10, 12, 14, 16, 18	
Length	
10 to 100	



Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.
Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287
E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com

GUJARAT (INDIA)



Bond + Well


Ortho Products

AN ISO 13485, CE, FDA APPROVED

Arthroscopy System

Arthroscopy Technology by Bondwell

Bonding for Life



B 452

BIOABSORBABLE SCREW

DIAMETER : 7,8,9,10mm
Length : 25 mm, 30mm
Diameter : 11 mm
Length : 35 mm
Available In : PLA Material &
PLA+B TCP Material



B 174

ACL SCREW (TIT)

DIAMETER : 6, 7, 8, 9mm
Length : 25 mm, 40mm



B 458

ROUND HOLE SUTURE DISK



B 460

LOOP BUTTON



B 455

LOADED SUTURE ANCHOR SCREW

Dia : 3 mm & 5 mm Sterile



B 453

LOW-PROFILE CANCELLOUS SCREW 4.0 mm

Size : 25 mm to 45 mm
(each at interval of 5 mm)



B 459

D'HOLE SUTURE DISK



B 461

SPIKED WASHER



B 454

LOW-PROFILE CANCELLOUS SCREW 6.5 mm

Size : 25 mm to 45 mm
(each at interval of 5 mm)



B 456

DISPOSABLE CANNULA

Size : 8.25 mm x 70 mm
8.25 mm x 90 mm



B 462

ENDO BUTTON WITH LOOP LOCK (Sterile)

Size : 10 mm to 45mm



B 457

LIGAMENTAL SPIKE STAPPLE


Size : Small / Medium / Large



B 463

TIBIAL POST SCREW

Length : 20 mm to 40 mm



Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.

Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287

GUJARAT (INDIA)

E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com



Bond + Well


Ortho Products

AN ISO 13485, CE, FDA APPROVED

2.4/2.7 Distal Radius Locking System

Locking Technology by Bondwell

Bonding for Life



B 402.23.01

L Plate - Right / Left angled - Head Holes 2
Shaft Holes 3, 4, 5



B 402.34.01

L Plate - Right / Left angled - Head Holes 3
Shaft Holes 3, 4, 5



B 401.05

Straight - Shaft Holes 5

B 401.06

Straight - Shaft Holes 6



B 403.33

T Plate - Head Holes 3
Shaft Holes 3, 4, 5



B 404.53.01

Right / Left angled - Head Holes 5
Shaft Holes 3, 4, 5



B 403.33.01

Oblique - Right / Left angled - Head Holes 3
Shaft Holes 3, 4, 5



B 406.53.01

Extra Articular Right / Left - Head Holes 5
Shaft Holes 3, 4, 5



B 406.43.01

Extra Articular Right / Left - Head Holes 4
Shaft Holes 3, 4, 5



B 405.53.01

Butter Right / Left angled - Head Holes 5
Shaft Holes 3, 4, 5



B 407.48

Extra - Long - Head Holes 4
Shaft Holes 8, 10, 12



B 180 Herbert Screw Dia. 1.7mm to 5.5mm
Length : 14 mm to 40 mm



Small Oblique T-Plate 3.5mm

B 182 Left / B 183 Right
Hole : 3 hole to 7 hole



Small T-Plate 3.5mm

B 181
Hole : 3 hole to 7 hole



B034

2.4mm Locking Screw
Self Tapping
Length 12mm to 40mm
(2mm increment)



B451

2.4mm Cortex Screw
Self Tapping
Length 12mm to 30mm
(2mm increment)



B033

2.7mm Locking Screw
Self Tapping
Length 12mm to 40mm
(2mm increment)



B001

2.7mm Cortex Screw
Self Tapping
Length 12mm to 30mm
(2mm increment)



B408 Lcp Variable Angle Distal Radius 2.4mm & 2.7mm
Holes 3 Hole to 8 Hole



B409 Lcp Volar Column Distal Radius 2.4mm & 2.7mm

Holes 3 Hole to 8 Hole

Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.

Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287

GUJARAT (INDIA)

E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com



Bond + Well


Ortho Products

AN ISO 13485, CE, FDA APPROVED

Expert Tibia Nail

Nail Technology by Bondwell

Bonding for Life



Expert Tibia Nail Cannulated

Dia : 9, 10, 11, 12

B147

Length

360mm to 460mm



4.9 Locking Screw

B023

Length 20mm to 70mm






3.9 Locking Screw

B024

Length 20mm to 60mm

End Cap

Height : 5, 10, 15, 20mm



Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.

Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287

GUJARAT (INDIA)

E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com



Bond + Well

Ortho Products

AN ISO 13485, CE, FDA APPROVED

Locking Plate System

Locking Technology by Bondwell

Bonding for Life


Tibia




4.5/5.0 mm Proximal Lateral Tibia Plate (Raft Plate)
B 239 Right / B 240 Left
Hole : 5 hole to 11 hole




3.5 mm Posterior Medial Proximal Tibia Plate
B 232
Hole : 2 hole to 10 hole



Medial Distal Tibia Plate 3.5 Low Bend
B 203 Right / B 204 Left
Hole : 5 hole to 13 hole



4.5/5.0 mm Lateral Tibia Plate
B 194 Left / B 195 Right
Hole : 5 hole to 13 hole



4.5/5.0 mm T-Plate
B 190
Hole : 3 hole to 10 hole



4.5/5.0 mm L-Buttress Plate
B 192 Left / B 193 Right
Hole : 3 hole to 10 hole



4.5/5.0 mm T-Buttress Plate
B 191
Hole : 4 hole to 10 hole



3.5 mm Proximal Tibia Plate
B 215 Right / B 216 Left
Hole : 5 hole to 11 hole



B 029 3.5 mm LHS
Length : 10mm to 65mm



B 030 5.0 mm LHS
Length : 10mm to 90mm

B 031 3.5 mm Can. LHS
Length : 12mm to 80mm

B 032 5.0 mm Can. LHS
Length : 18mm to 100mm

Radius/Ulna



3.5 mm Small Locking Plate
B 184
Hole : 4 hole to 12 hole



3.5 mm One Third Locking Plate
B 224
Hole : 4 hole to 14 hole



3.5 mm Reconstruction Plate
B 185
Hole : 5 hole to 14 hole

Calcaneus



Distal Fibula Plate
B 238
Hole : 4 hole to 10 hole



Calcaneal Plate (Q Shape) Right & Left
B 227
Length : 60 mm, 70 mm



Calcaneal Plate (P Shape) Right & Left

Clavicle



Clavicle Plate (S Type)
B 236 Right / B 237 Left
Hole : 4 hole to 8 hole



Clavicle Hook Plate
B 233
Hole : 3 hole to 10 hole



Calcaneal Plate (Y Shape) Right & Left

Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.
Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287
E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com

GUJARAT (INDIA)



Bond + Well

Ortho Products

AN ISO 13485, CE, FDA APPROVED

Locking Plate System

Locking Technology by Bondwell

Bonding for Life

Humerus



3.5mm Proximal Humerus Plate
B 213 Short (Philos) / B 214 Long (Philos)
Hole : 3 hole to 5 hole



Distal Media Humerus Plate
B 209 Right / B 210 Left
Hole : 5 hole to 13 hole



Distal Humerus Dorsolateral with support Plate
B 207 Right / B 208 Left
Hole : 5 hole to 13 hole



Distal Humerus Dorsolateral w/o Support Plate
B 205 Right / B 206 Left
Hole : 5 hole to 13 hole




3.5mm Extra Articular Distal Humerus Plate
B 224 Left / B 225 Right
Hole : 4 hole to 14 hole




3.5 / 4.5 Metaphyseal Plate
B 198
Hole : 5 hole to 13 hole



3.5mm Olecranon Plate
B 217 Right / B 212 Left
Hole : 4 hole to 12 hole



4.5/5.0 mm Narrow Plate
B 188
Hole : 4 hole to 16 hole



Femur



4.5/5.0 mm Proximal Femoral Plate
B 211 Right / B 212 Left
Hole : 2 hole to 16 hole



4.5/5.0 mm Distal Femoral Plate
B 196 Left / B 197 Right
Hole : 5 hole to 13 hole



4.5/5.0 mm Broad Plate
B 189
Hole : 5 hole to 15 hole



4.5/5.0 mm DHS Plate
B 199 L/B, B 201 S/B
Hole : 4 hole to 16 hole

Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.

Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287

GUJARAT (INDIA)

E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com



Bond + Well

Ortho Products

AN ISO 13485, CE, FDA APPROVED

Minimal invasive spine System-MIS System

Spine Technology by Bondwell

Bonding for Life



PRE-BENT ROD

6.0 MM

Code No. Total Length

B 507	50 mm
B 507	60 mm
B 507	70 mm
B 507	70 mm
B 507	80 mm
B 507	90 mm
B 507	95 mm
B 507	100 mm
B 507	110 mm

**5.5 mm Poly
B 506**



Code No. Total Length

B 506.35	35 mm
B 506.40	40 mm
B 506.45	45 mm
B 506.50	50 mm

**6.5 mm Poly
B 506**

Code No. Total Length

B 506.35	35 mm
B 506.40	40 mm
B 506.45	45 mm
B 506.50	50 mm



Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.
Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287
E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com

GUJARAT (INDIA)



Bond + Well

Ortho Products


AN ISO 13485, CE, FDA APPROVED

PFNA

Proximal Femur Nail Antirotation

PFNA Technology by Bondwell

Bonding for Life



Higher level of rotational & angular stability achieved through PFNA blade.

Insertion of PFAN Blade



Locked PFAN Blade.


Blade Nail





Locking Screw



Locking Screw



End Cap



Proximal Locking Jig

Distal Locking Jig



B 302 PFNA Nail Long Right
B 301 PFNA Nail Long Left

Dia. : 9, 10, 11, 12 mm
Length : 340 mm to 420 mm

B 303 PFNA Nail Short

Dia. : 9, 10, 11, 12 mm
Length : 170 mm, 200mm, 240 mm

B 304 Blade Nail

Blade Nail : Dia (mm) 10.5
Length : 65 mm to 120 mm

B 305 End Cap For PFNA Nail
Height : 0, 5, 10, 15, 20 mm

4.9 Locking Screw

B023
Length 20mm to 70mm

3.9 Locking Screw

B024
Length 20mm to 60mm

Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.

Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287

GUJARAT (INDIA)

E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com



Bond + Well

Ortho Products

AN ISO 13485, CE, FDA APPROVED

Spine System

Spinal Technology by Bondwell

Bonding for Life



B 155
Mono Axial Screw

Dia. 4.5, 5.5, 6.5
Length : 25mm to 50mm

B 156
Poly Axial Screw

Dia. 4.5, 5.5, 6.5
Length : 25mm to 50mm

B 158
Rod

Dia. 5.5mm
Length : 50mm to 250mm

B 159
Rod




Dia. 3.0mm
Length : 100mm to 150mm

B 160
Transverse Connector

Dia. 5.5mm

B 501
Multiaxial Crosslink

Length : 38mm - 43mm
42mm - 51mm
50mm - 67mm



Address : BONDWELL ORTHO PRODUCTS : A-44, Adarsh-2 Industrial Estate, Nr. Gurudwara, Odhav, Ahmedabad-382415.
Phone : 079 22875287, Mo. 008490816687, 009978056292, 009825875287
E-mail : bondwellortho@gmail.com, info@bondwellortho.com • www.bondwellortho.com

GUJARAT (INDIA)